BILL NO. S-85-08-22

SPECIAL ORDINANCE NO. S-161-85

AN ORDINANCE approving City Utilities Purchase Order Number A-44942 by the City of Fort Wayne by and through its Department of Purchasing and Water Products for the Water Maintenance and Service Department.

NOW, THEREFORE, BE IT ORDAINED BY THE COMMON COUNCIL OF THE CITY OF FORT WAYNE, INDIANA:

SECTION 1. That City Utilities Purchase Order #A-44942, between the City of Fort Wayne, by and through its City Utilities, and the Department of Purchasing and Water Products, for the Water Maintenance and Service Department, respectfully for:

> the purchase of 1200 feet Belltite Iron Pipe for the Water Maintenance and Service Department as per the specifications in Reference #2083;

involving a total cost of Twelve Thousand Three Hundred Twelve and No/100 Dollars ($12,312.00), all as more particularly set forth in said Purchase Order, which is on file in the Office of the Department of Purchasing, and is by reference incorporated herein, made a part hereof, and is hereby in all things ratified, confirmed and approved.

SECTION 2. That this Ordinance shall be in full force and effect from and after its passage, and any and all necessary approval by the Mayor.

Councilmember

APPROVED AS TO FORM
AND LEGALITY

Bruce O. Boxberger, City Attorney

Read the first time in full and on motion by Hensey, seconded by Redd, and duly adopted, read the second time by title and referred to the Committee City Utilities (and the City Plan Commission for recommendation) and Public Hearing to be held after due legal notice, at the Council Chambers, City-County Building, Fort Wayne Indiana, on _____, the _____ day of _____, 19____, at _____ o'clock ____.M.,E.S

DATE: 8-13-85

Sandra E. Kennedy
SANDRA E. KENNEDY, CITY CLERK

Read the third time in full and on motion by Henry, seconded by Eisbart, and duly adopted, placed on its passage. PASSED (~~LOST~~) by the following vote:

	AYES	NAYS	ABSTAINED	ABSENT	TO-WIT:
TOTAL VOTES	9				
BRADBURY	✓				
BURNS	✓				
EISBART	✓				
GiaQUINTA	✓				
HENRY	✓				
REDD	✓				
SCHMIDT	✓				
STIER	✓				
TALARICO	✓				

DATE: 8-27-85

Sandra E. Kennedy
SANDRA E. KENNEDY, CITY CLERK

Passed and adopted by the Common Council of the City of Fort Wayne, Indiana, as (~~ANNEXATION~~) (~~APPROPRIATION~~) (GENERAL) (SPECIAL) (~~ZONING MAP~~) ORDINANCE (~~RESOLUTION~~) NO. S-161-85 on the 27th day of August, 19 85,

ATTEST:
Sandra E. Kennedy
SANDRA E. KENNEDY, CITY CLERK

(SEAL)
Mark E. GiaQuinta
PRESIDING OFFICER

Presented by me to the Mayor of the City of Fort Wayne, Indiana, on the 28th day of August, 19 85, at the hour of 11:30 o'clock A.M.,E.S.T.

Sandra E. Kennedy
SANDRA E. KENNEDY, CITY CLERK

Approved and signed by me this 29th day of August, 19 85, at the hour of 8:30 o'clock A.M.,E.S.T.

WIN MOSES, JR., MAYOR

Tab Sheet - Bid NO. 2083
Open: July 29, 1985 4:00 P.M.

Water Products	$10.26	$12,312.00
Underground Pipe	$10.35	$12,420.00
U.S. Pipe	$10.50	$12,600.00
Treaty Co.	$10.52	$12,624.00

APPROVED BY THE STATE BOARD OF ACCOUNTS FOR CITY UTILITIES AND CIVIL CITY OF FORT WAYNE 1980

City of Fort Wayne

DEPARTMENT OF PURCHASES
NUMBER ONE EAST MAIN STREET, ROOM 940
FORT WAYNE, IN 46802

A– 44942

DATE 07/30/85
REQ. NO. 00317

THE ABOVE INFORMATION MUST APPEAR ON ALL INVOICES, BILLS OF LADING, DELIVERY TICKETS, PACKAGES AND CORRESPONDENCE.

INVOICE IN DUPLICATE

MAIL ALL CORRESPONDENCE, CLAIM VOUCHERS, ETC., TO:

WATER MAINTENANCE & SERVICE 220
415 EAST WALLACE STREET
FORT WAYNE IN 46803

WATER PRODUCTS CO. 8089-02
112 E. WATER
P.O. BOX 55
WABASH IN 46992

DELIVER TO: DEPARTMENT OR DIVISION

WATER MAINT. & SERVICE
415 E WALLACE STREET
FORT WAYNE IN 46803

☐ CIVIL CITY

☒ XX CITY UTILITIES

APPROPRIATION AND FUND NUMBER 5-13-523-W15-44-299

U044942 CM N/A

CASH DISCOUNT TERMS % IF PAID WITHIN DAYS FROM DELIVERY AND ACCEPTANCE OF GOODS OR PERFORMANCE OF SERVICES. (DEDUCTION FOR DISCOUNT SHOWN BELOW)

QUANTITY ORDERED	UNIT	MATERIALS, SUPPLIES OR SERVICES	UNIT PRICE	AMOUNT
		TAX EXEMPT (UNLESS OTHERWISE INDICATED)		
1200	FT	#001 12" BELL TITE, DUCTILE IRON PIPE, CEMENT LINED, W/GASKETS AND BRASS WEDGES	10.26	12312.00
		MUST MEET WATER UTILITY MATERIAL SPECIFICATIONS.		
		`````````PRICES PER REFERENCE #2083`````````		
		SUBJECT TO COUNCILMANIC APPROVAL: ORDINANCE NO:_____ DATE:_____		
		FOR INFORMATION: PURCHASING 219-427-1101	TOTAL	12312.00

COMPLIANCE WITH THE DELIVERY DATE REQUESTED WILL AVOID "FOLLOW UP" CORRESPONDENCE.

UNLESS OTHERWISE INDICATED THE PRICES SHOWN INCLUDE ALL CHARGES FOR DELIVERY, PACKING, ETC., NECESSARY TO COMPLETE DELIVERY TO DESTINATION SPECIFIED.

NOTE
READ INSTRUCTIONS ON THE BACK OF THIS **ORDER**

THE CONTRACTOR OR VENDOR, BY ACCEPTING THIS ORDER, AGREES TO THE GENERAL CONDITIONS AND TERMS OF AGREEMENT ON THE BACK OF THIS ORDER.

UNLESS OTHERWISE INDICATED, THE PRICES SHOWN DO NOT INCLUDE TAXES OF ANY KIND.

EXEMPTION BLANKS WILL BE FURNISHED WHEN NECESSARY.

INDIANA SALES TAX EXEMPTION CERTIFICATE NUMBER 034508-03

IF THIS ORDER DOES NOT AGREE WITH YOUR QUOTATION KINDLY RETURN IT WITH AN EXPLANATION.

I HEREBY CERTIFY THAT THE COST OF THE ABOVE PURCHASE IS FULLY COVERED BY UNENCUMBERED BALANCES IN THE ABOVE FUNDS AND THAT THE EXPENDITURE THEREFORE HAS BEEN DULY AUTHORIZED AND APPROPRIATED.

CITY CONTROLLER

PER _____

I HEREBY CERTIFY UPON MY OWN PERSONAL KNOWLEDGE THAT THIS ORDER IS AUTHORIZED BY A PROPERLY EXECUTED AND APPROVED REQUISITION ON FILE IN THIS OFFICE.

DIRECTOR OF PURCHASES

PER _____

Reynolds+Reynolds DAYTON, OHIO LITHO IN U.S.A.

ORIGINAL (1)

City of Fort Wayne
DEPARTMENT OF PURCHASES
NUMBER ONE EAST MAIN STREET ROOM 940
FORT WAYNE, IN 46802

PLEASE INDICATE THIS NUMBER ON ALL CORRESPONDENCE.

QUOTE NO: 2083

DATE OF REQUEST: 07/16/85

☐ Quotations ☐ Sealed Bids

WILL BE RECEIVED AT THIS OFFICE UNTIL ▶ 7/29/85 at 4:00 p.m.

PAGE



TO

V.R. MEYERS PUMP & SUPPLY
3427 N. CLINTON STREET
FORT WAYNE, IN 46805

The Contractor and his sub-contractors, if any, shall not discriminate against any employee or applicant for employment, to be employed in the performance of this contract, with respect to his hire, tenure, conditions or privileges of employment or any matter directly or indirectly related to employment, because of his race, color, religion, national origin or ancestry. Breach of this covenant may be regarded as a material breach of the contract.

REQUEST FOR QUOTATION
THIS IS NOT AN ORDER

PLEASE QUOTE BELOW LOWEST PRICES, WHICH **MUST** INCLUDE ALL DELIVERY CHARGES **(INCLUDING FREIGHT, PARCEL POST AND EXPRESS)** UNLESS OTHERWISE SPECIFIED, FOR PURCHASING MERCHANDISE OR SERVICE DESCRIBED BELOW.

QUOTATIONS WILL BE OPENED IN ACCORDANCE TO RULES AND REGULATIONS ON THE REVERSE SIDE OF THIS SHEET.
RESPECTFULLY,

QUANTITY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL
1200	FT	12" BELL TITE, DUCTILE IRON PIPE, CEMENT LINED, W/GASKETS AND BRASS WEDGES. MUST MEET WATER UTILITY MATERIAL SPECIFICATIONS. SEE ATTACHED. FOR FURTHER INFORMATION CONTACT SKIP MILLER 747-4146. IF YOU DO NOT WISH TO QUOTE ON THE ABOVE, PLEASE LIST NO QUOTE ON OUR FORM AND RETURN IN THE ENCLOSED SELF ADDRESSED ENVELOPE FOR OUR RECORDS. THANK YOU.	No Quote W Meyers	

RECEIVED
1985 JUL 18 AM 9 53
PURCHASING

THIS IS ONLY AN INVITATION TO QUOTE AND NOT AN ORDER. THE ABOVE QUOTES ARE SUBMITTED IN ACCORDANCE WITH THE REGULATIONS ON THE REVERSE SIDE OF THIS SHEET.

SIGNATURE OF BIDDER: DATE:

VENDOR 4

Sec. A-1 - Gray Cast Iron Pipe

All gray cast iron pipe shall be centrifugally cast according to the latest revisions of ANSI Specifications # A21.6 (AWWA C106), in lengths not less than eighteen (18') feet long, and cement-mortar lined according to the latest revisions of ANSI Specifications # A21.4 (AWWA C104).

All gray cast iron pipe 20" and smaller shall be thickness Class # 22, and 24" and larger shall be thickness Class # 23, or as determined in accordance with ANSI Specification # A21.1 (AWWA H-1), unless otherwise designated on the appropriate drawings for a particular installation. In case there is any question as to the class pipe to be used in connection with a particular installation, it shall be the duty of the party or firm supplying the pipe to obtain written verification from the Water Engineering Department of the classification of pipe in question.

The bell end of all cast iron pipe shall be cast for either a mechanical joint or for an approved slip joint with rubber gasket.

Sec. A-2 - Ductile Cast Iron Pipe

All ductile cast iron pipe shall be centrifugally cast according to the latest revisions of ANSI Specifications A21.51 (AWWA C151), in lengths not less than eighteen (18') feet long, and cement-mortar lined according to the latest revisions of ANSI Specifications # A21.4 (AWWA C104).

Wall thickness shall be determined by the pipe manufacturer in accordance with ANSI Specifications # A21.50 (AWWA H-3) using loads imposed by the respective depths of cover at the various locations of the project. In case there is any question as to the class pipe to be used in connection with a particular installation, it shall be the duty of the party or firm supplying ductile iron pipe to obtain written verification from the Water Engineering Department of the classification of pipe in question.

The bell end of all ductile iron pipe shall be cast for either a mechanical joint or for an approved slip joint with rubber gasket.

Sec. A-3 - Prestressed Concrete Cylinder Pipe

All prestressed concrete cylinder pipe shall be manufactured to conform in all respects to the latest revisions of the American Water Works Association Standards, designation C-301, for prestressed concrete cylinder pipe and furnished in lengths not less than sixteen (16') feet long (except special and closure pieces) and shall be equipped with plain rubber gaskets.

Closure pieces, with rubber gasket joints, shall be furnished as necessary

City of Fort Wayne
DEPARTMENT OF PURCHASES
NUMBER ONE EAST MAIN STREET ROOM 940
FORT WAYNE, IN 46802

PLEASE INDICATE THIS NUMBER ON ALL CORRESPONDENCE.

QUOTE NO: 2083

DATE OF REQUEST: 07/16/85 | ☐ Quotations ☐ Sealed Bids | WILL BE RECEIVED AT THIS OFFICE UNTIL ▶ 7/29/85 at 4:00 p.m. | PAGE

TO

UNDERGROUND PIPE & VALVE
P.O. BOX 86
SOUTH BEND, IN 46624

[redacted]

The Contractor and his sub-contractors, if any, shall not discriminate against any employee or applicant for employment, to be employed in the performance of this contract, with respect to his hire, tenure, conditions or privileges of employment or any matter directly or indirectly related to employment, because of his race, color, religion, national origin or ancestry. Breach of this covenant may be regarded as a material breach of the contract.

REQUEST FOR QUOTATION
THIS IS NOT AN ORDER

PLEASE QUOTE BELOW LOWEST PRICES, WHICH **MUST** INCLUDE ALL DELIVERY CHARGES **(INCLUDING FREIGHT, PARCEL POST AND EXPRESS)** UNLESS OTHERWISE SPECIFIED, FOR PURCHASING MERCHANDISE OR SERVICE DESCRIBED BELOW.

QUOTATIONS WILL BE OPENED IN ACCORDANCE TO RULES AND REGULATIONS ON THE REVERSE SIDE OF THIS SHEET.

RESPECTFULLY,

C. Offutt

QUANTITY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL
1200	FT	12" BELL TITE, DUCTILE IRON PIPE, CEMENT LINED, W/GASKETS AND BRASS WEDGES.	10.35	$12,420.00
		MUST MEET WATER UTILITY MATERIAL SPECIFICATIONS. SEE ATTACHED.		
		FOR FURTHER INFORMATION CONTACT SKIP MILLER 747-4146.		
		IF YOU DO NOT WISH TO QUOTE ON THE ABOVE, PLEASE LIST NO QUOTE ON OUR FORM AND RETURN IN THE ENCLOSED SELF ADDRESSED ENVELOPE FOR OUR RECORDS. THANK YOU.		

RECEIVED
1985 JUL 29 PM 3:12
PURCHASING

THIS IS ONLY AN INVITATION TO QUOTE AND NOT AN ORDER. THE ABOVE QUOTES ARE SUBMITTED IN ACCORDANCE WITH THE REGULATIONS ON THE REVERSE SIDE OF THIS SHEET.

SIGNATURE OF BIDDER: James P Butler, President

DATE: July 22, 1985

VENDOR 2

Sec. A-1 - Gray Cast Iron Pipe

All gray cast iron pipe shall be centrifugally cast according to the latest revisions of ANSI Specifications # A21.6 (AWWA C106), in lengths not less than eighteen (18') feet long, and cement-mortar lined according to the latest revisions of ANSI Specifications # A21.4 (AWWA C104).

All gray cast iron pipe 20" and smaller shall be thickness Class # 22, and 24" and larger shall be thickness Class # 23, or as determined in accordance with ANSI Specification # A21.1 (AWWA H-1), unless otherwise designated on the appropriate drawings for a particular installation. In case there is any question as to the class pipe to be used in connection with a particular installation, it shall be the duty of the party or firm supplying the pipe to obtain written verification from the Water Engineering Department of the classification of pipe in question.

The bell end of all cast iron pipe shall be cast for either a mechanical joint or for an approved slip joint with rubber gasket.

Sec. A-2 - Ductile Cast Iron Pipe

All ductile cast iron pipe shall be centrifugally cast according to the latest revisions of ANSI Specifications A21.51 (AWWA C151), in lengths not less than eighteen (18') feet long, and cement-mortar lined according to the latest revisions of ANSI Specifications # A21.4 (AWWA C104).

Wall thickness shall be determined by the pipe manufacturer in accordance with ANSI Specifications # A21.50 (AWWA H-3) using loads imposed by the respective depths of cover at the various locations of the project. In case there is any question as to the class pipe to be used in connection with a particular installation, it shall be the duty of the party or firm supplying ductile iron pipe to obtain written verification from the Water Engineering Department of the classification of pipe in question.

The bell end of all ductile iron pipe shall be cast for either a mechanical joint or for an approved slip joint with rubber gasket.

Sec. A-3 - Prestressed Concrete Cylinder Pipe

All prestressed concrete cylinder pipe shall be manufactured to conform in all respects to the latest revisions of the American Water Works Association Standards, designation C-301, for prestressed concrete cylinder pipe and furnished in lengths not less than sixteen (16') feet long (except special and closure pieces) and shall be equipped with plain rubber gaskets.

Closure pieces, with rubber gasket joints, shall be furnished as necessary



Underground Pipe & Valve, Inc.

MAILING ADDRESS:
P.O. BOX 508
SOUTH BEND, IN 46624

YARD ADDRESS:
1100 PRAIRIE AVENUE
SOUTH BEND, INDIANA

PHONE (219) 282-2323

July 23, 1985

City of Fort Wayne
Department of Purchases
Room 940 City-County Bldg.
One Main St.
Fort Wayne, IN 46802

We are pleased to announce the opening of our new branch located at 617 Ley Rd., Ft. Wayne, IN 46825. The branch manager is Mr. Al Gael.

Telephone service is expected to be completed in two weeks. We will advise you when it is available.

Very truly yours,

James P. Butler

James P. Butler

City of Fort Wayne
DEPARTMENT OF PURCHASES
NUMBER ONE EAST MAIN STREET ROOM 940
FORT WAYNE, IN 46802

PLEASE INDICATE THIS NUMBER ON ALL CORRESPONDENCE.

QUOTE NO: 2083

DATE OF REQUEST 07/16/85 | ☐ Quotations ☐ Sealed Bids | WILL BE RECEIVED AT THIS OFFICE UNTIL ▶ 7/29/85 at 4:00 p.m. | PAGE

TO

WATER PRODUCTS CO.
ATTN: MR. WILBER WEAVER
P.O. BOX 55
WABASH, IN 46992

[redacted]

The Contractor and his sub-contractors, if any, shall not discriminate against any employee or applicant for employment, to be employed in the performance of this contract, with respect to his hire, tenure, conditions or privileges of employment or any matter directly or indirectly related to employment, because of his race, color, religion, national origin or ancestry. Breach of this covenant may be regarded as a material breach of the contract.

REQUEST FOR QUOTATION
THIS IS NOT AN ORDER

PLEASE QUOTE BELOW LOWEST PRICES, WHICH **MUST** INCLUDE ALL DELIVERY CHARGES **(INCLUDING FREIGHT, PARCEL POST AND EXPRESS)** UNLESS OTHERWISE SPECIFIED, FOR PURCHASING MERCHANDISE OR SERVICE DESCRIBED BELOW.

QUOTATIONS WILL BE OPENED IN ACCORDANCE TO RULES AND REGULATIONS ON THE REVERSE SIDE OF THIS SHEET.
RESPECTFULLY,

C. Offutt

QUANTITY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL
1200	FT	12" BELL TITE, DUCTILE IRON PIPE, Class 50 CEMENT LINED, W/GASKETS AND BRASS WEDGES.	$10.26	$12,312.00
		MUST MEET WATER UTILITY MATERIAL SPECIFICATIONS. SEE ATTACHED.		
		FOR FURTHER INFORMATION CONTACT SKIP MILLER 747-4146.		
		IF YOU DO NOT WISH TO QUOTE ON THE ABOVE, PLEASE LIST NO QUOTE ON OUR FORM AND RETURN IN THE ENCLOSED SELF ADDRESSED ENVELOPE FOR OUR RECORDS. THANK YOU.		

RECEIVED
1985 JUL 29 AM 9:44
PURCHASING

THIS IS ONLY AN INVITATION TO QUOTE AND NOT AN ORDER. THE ABOVE QUOTES ARE SUBMITTED IN ACCORDANCE WITH THE REGULATIONS ON THE REVERSE SIDE OF THIS SHEET.

SIGNATURE OF BIDDER: Arden C. Yoder, Water Products Co. DATE: 7/26/85

VENDOR 2

Sec. A-1 - Gray Cast Iron Pipe

All gray cast iron pipe shall be centrifugally cast according to the latest revisions of ANSI Specifications # A21.6 (AWWA C106), in lengths not less than eighteen (18') feet long, and cement-mortar lined according to the latest revisions of ANSI Specifications # A21.4 (AWWA C104).

All gray cast iron pipe 20" and smaller shall be thickness Class # 22, and 24" and larger shall be thickness Class # 23, or as determined in accordance with ANSI Specification # A21.1 (AWWA H-1), unless otherwise designated on the appropriate drawings for a particular installation. In case there is any question as to the class pipe to be used in connection with a particular installation, it shall be the duty of the party or firm supplying the pipe to obtain written verification from the Water Engineering Department of the classification of pipe in question.

The bell end of all cast iron pipe shall be cast for either a mechanical joint or for an approved slip joint with rubber gasket.

Sec. A-2 - Ductile Cast Iron Pipe

All ductile cast iron pipe shall be centrifugally cast according to the latest revisions of ANSI Specifications A21.51 (AWWA C151), in lengths not less than eighteen (18') feet long, and cement-mortar lined according to the latest revisions of ANSI Specifications # A21.4 (AWWA C104).

Wall thickness shall be determined by the pipe manufacturer in accordance with ANSI Specifications # A21.50 (AWWA H-3) using loads imposed by the respective depths of cover at the various locations of the project. In case there is any question as to the class pipe to be used in connection with a particular installation, it shall be the duty of the party or firm supplying ductile iron pipe to obtain written verification from the Water Engineering Department of the classification of pipe in question.

The bell end of all ductile iron pipe shall be cast for either a mechanical joint or for an approved slip joint with rubber gasket.

Sec. A-3 - Prestressed Concrete Cylinder Pipe

All prestressed concrete cylinder pipe shall be manufactured to conform in all respects to the latest revisions of the American Water Works Association Standards, designation C-301, for prestressed concrete cylinder pipe and furnished in lengths not less than sixteen (16') feet long (except special and closure pieces) and shall be equipped with plain rubber gaskets.

Closure pieces, with rubber gasket joints, shall be furnished as necessary

City of Fort Wayne
DEPARTMENT OF PURCHASES
NUMBER ONE EAST MAIN STREET ROOM 940
FORT WAYNE, IN 46802

PLEASE INDICATE THIS NUMBER ON ALL CORRESPONDENCE.

QUOTE NO: 2083

DATE OF REQUEST: 07/16/85 | ☐ Quotations ☐ Sealed Bids | WILL BE RECEIVED AT THIS OFFICE UNTIL ▶ 7/29/85 at 4:00 p.m. | PAGE

TO

TREATY COMPANY
4020 N. WELLS STREET
FORT WAYNE, IN 46808



The Contractor and his sub-contractors, if any, shall not discriminate against any employee or applicant for employment, to be employed in the performance of this contract, with respect to his hire, tenure, conditions or privileges of employment or any matter directly or indirectly related to employment, because of his race, color, religion, national origin or ancestry. Breach of this covenant may be regarded as a material breach of the contract.

REQUEST FOR QUOTATION
THIS IS NOT AN ORDER

PLEASE QUOTE BELOW LOWEST PRICES, WHICH **MUST** INCLUDE ALL DELIVERY CHARGES **(INCLUDING FREIGHT, PARCEL POST AND EXPRESS)** UNLESS OTHERWISE SPECIFIED, FOR PURCHASING MERCHANDISE OR SERVICE DESCRIBED BELOW.

QUOTATIONS WILL BE OPENED IN ACCORDANCE TO RULES AND REGULATIONS ON THE REVERSE SIDE OF THIS SHEET.
RESPECTFULLY,

QUANTITY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL
1200	FT	12" BELL TITE, DUCTILE IRON PIPE, CEMENT LINED, W/GASKETS AND BRASS WEDGES.	10.52	12,624
		MUST MEET WATER UTILITY MATERIAL SPECIFICATIONS. SEE ATTACHED.		
		FOR FURTHER INFORMATION CONTACT SKIP MILLER 747-4146.		
		IF YOU DO NOT WISH TO QUOTE ON THE ABOVE, PLEASE LIST NO QUOTE ON OUR FORM AND RETURN IN THE ENCLOSED SELF ADDRESSED ENVELOPE FOR OUR RECORDS. THANK YOU.		

1985 JUL 29 PM 2:28
PURCHASING
RECEIVED

THIS IS ONLY AN INVITATION TO QUOTE AND NOT AN ORDER. THE ABOVE QUOTES ARE SUBMITTED IN ACCORDANCE WITH THE REGULATIONS ON THE REVERSE SIDE OF THIS SHEET.

SIGNATURE OF BIDDER: John O'Dell Treaty Co DATE: 7-25-85

VENDOR 3

Sec. A-1 - Gray Cast Iron Pipe

All gray cast iron pipe shall be centrifugally cast according to the latest revisions of ANSI Specifications # A21.6 (AWWA C106), in lengths not less than eighteen (18') feet long, and cement-mortar lined according to the latest revisions of ANSI Specifications # A21.4 (AWWA C104).

All gray cast iron pipe 20" and smaller shall be thickness Class # 22, and 24" and larger shall be thickness Class # 23, or as determined in accordance with ANSI Specification # A21.1 (AWWA H-1), unless otherwise designated on the appropriate drawings for a particular installation. In case there is any question as to the class pipe to be used in connection with a particular installation, it shall be the duty of the party or firm supplying the pipe to obtain written verification from the Water Engineering Department of the classification of pipe in question.

The bell end of all cast iron pipe shall be cast for either a mechanical joint or for an approved slip joint with rubber gasket.

Sec. A-2 - Ductile Cast Iron Pipe

All ductile cast iron pipe shall be centrifugally cast according to the latest revisions of ANSI Specifications A21.51 (AWWA C151), in lengths not less than eighteen (18') feet long, and cement-mortar lined according to the latest revisions of ANSI Specifications # A21.4 (AWWA C104).

Wall thickness shall be determined by the pipe manufacturer in accordance with ANSI Specifications # A21.50 (AWWA H-3) using loads imposed by the respective depths of cover at the various locations of the project. In case there is any question as to the class pipe to be used in connection with a particular installation, it shall be the duty of the party or firm supplying ductile iron pipe to obtain written verification from the Water Engineering Department of the classification of pipe in question.

The bell end of all ductile iron pipe shall be cast for either a mechanical joint or for an approved slip joint with rubber gasket.

Sec. A-3 - Prestressed Concrete Cylinder Pipe

All prestressed concrete cylinder pipe shall be manufactured to conform in all respects to the latest revisions of the American Water Works Association Standards, designation C-301, for prestressed concrete cylinder pipe and furnished in lengths not less than sixteen (16') feet long (except special and closure pieces) and shall be equipped with plain rubber gaskets.

Closure pieces, with rubber gasket joints, shall be furnished as necessary

UNITED STATES PIPE AND FOUNDRY COMPANY
800 WEST 79TH STREET
HINSDALE, ILLINOIS 60521
TELEPHONE: 920-0050
AREA CODE 312

July 23, 1985

WE SHALL NOT BE RESPONSIBLE FOR DELAYS CAUSED BY WORK STOPPAGE DUE TO LABOR DISPUTES, EMBARGOES, FIRES, ACCIDENTS, OR ANY OTHER CAUSES BEYOND OUR CONTROL. WE AGREE TO FURNISH NEW MERCHANDISE IN EXCHANGE FOR ANY MERCHANDISE SOLD THAT IS FOUND TO BE DEFECTIVE IN MANUFACTURE. WE ASSUME NO FURTHER LIABILITY OF ANY KIND SUCH AS FOR LABOR COSTS, EXPENSES, OR ANY TYPE OF DAMAGES DIRECT OR INDIRECT RESULTING FROM THE USE OF THE MERCHANDISE CLAIMED DEFECTIVE.

CITY OF FORT WAYNE
Department of Purchases
Room 904 City-County Building
One Main Street
Fort Wayne, Indiana 46802

Reference: QUOTE NO. 2083 - DUE JULY 29, 1985 AT 4:00 PM

Gentlemen:

With reference to the above, this letter is to be considered an integral part of our quotation attached hereto and both are offered subject to the clauses noted beneath the dateline of this letterhead and acceptance of an order and terms by our Birmingham, Alabama office.

Our proposal is offered on the basis of furnishing essentially all material listed. Any division or deletion of the materials would be permitted only by prior mutual agreement.

PRICES

The unit price quoted for pipe is for your acceptance within thirty (30) days after bid opening date and is automatically withdrawn thereafter. Any extension would be by mutual agreement only.

Price for pipe is F.O.B. Birmingham, Alabama, with truckload freight allowed and prepaid to jobsite, Fort Wayne, Allen County, Indiana. Truckload delivery is based on accessible and suitable roads to the jobsite, consignee to unload. These prices include transportation charges based on existing truckload rates and any change in the charges due to rate changes, less-truckload shipment or shipment by other means will be for your account.

continued

July 23, 1985

CITY OF FORT WAYNE

Reference: QUOTE NO. 2083 - DUE JULY 29, 1985 AT 4:00 PM

ESCALATION

The price quoted herein for pipe is based on current market price of scrap metal, as defined below. Due to the complete uncertainty of future scrap prices, our price to you is subject to the following Scrap Surcharge.

> For each $1.00 per ton increase in the Pittsburgh, Philadelphia, Chicago composite price for the "Scrap No. 1 Heavy" published weekly in IRON AGE Magazine, our price herein will be increased $1.00 per ton.
>
> "Current market price" of Scrap No. 1 Heavy is defined as $68.83 per ton published in the July 22, 1985, issue of IRON AGE. The scrap price published in IRON AGE in the week that shipment of your order is made shall determine the amount of Scrap Surcharge to you.

TAXES

The price quoted does not include any taxes which may be applicable to this transaction. Such taxes, if any, shall be for your account.

TERMS

Terms of payment are net cash thirty (30) days from date of invoice, subject to approval by our Credit Department. A service charge of 1-1/2% per month will be added after due date.

SHIPMENT

After receipt of an order and full information at our shops subject to prior sale of manufacturing space and all conditions beyond our control, we estimate we can begin shipment immediately from stock.

continued

July 23, 1985

CITY OF FORT WAYNE

Reference: QUOTE NO. 2083 - DUE JULY 29, 1985 AT 4:00 PM

GENERAL

The cost of any outside inspection laboratory service, if required, will be additional and for your account.

SPECIFICATIONS

"TYTON" JOINT DUCTILE IRON PIPE, NOMINAL 18 FT. LENGTHS, PER ANSI A21.51 SPECIFICATIONS COMPLETE WITH "TYTON" GASKETS, LUBRICANT AND BRASS WEDGES. CLASS 50. CEMENT LINED PER ANSI A21.4 SPECIFICATIONS.

We appreciate the opportunity of submitting this proposal and hope that we have the pleasure of furnishing your ductile iron pressure pipe requirements on this project.

Very truly yours,

UNITED STATES PIPE AND FOUNDRY COMPANY

H. O. Gardner

Western Regional Sales Manager

Maureen A. Heniff

By: Maureen A. Heniff

Senior Sales Correspondent

MAH/mh

encl.

cc: U.S. Pipe, Indiana

City of Fort Wayne
DEPARTMENT OF PURCHASES
NUMBER ONE EAST MAIN STREET ROOM 940
FORT WAYNE, IN 46802

PLEASE INDICATE THIS NUMBER ON ALL CORRESPONDENCE.

QUOTE NO: 2083

DATE OF REQUEST 07/16/85 | ☐ Quotations ☐ Sealed Bids | WILL BE RECEIVED AT THIS OFFICE UNTIL ▶ 7/29/85 at 4:00 p.m. | PAGE

TO

U.S. PIPE AND FOUNDRY CO.
P.O. BOX 247
WESTMONT, IL 60559



The Contractor and his sub-contractors, if any, shall not discriminate against any employee or applicant for employment, to be employed in the performance of this contract, with respect to his hire, tenure, conditions or privileges of employment or any matter directly or indirectly related to employment, because of his race, color, religion, national origin or ancestry. Breach of this covenant may be regarded as a material breach of the contract.

REQUEST FOR QUOTATION
THIS IS NOT AN ORDER

PLEASE QUOTE BELOW LOWEST PRICES, WHICH **MUST** INCLUDE ALL DELIVERY CHARGES **(INCLUDING FREIGHT, PARCEL POST AND EXPRESS)** UNLESS OTHERWISE SPECIFIED, FOR PURCHASING MERCHANDISE OR SERVICE DESCRIBED BELOW.

QUOTATIONS WILL BE OPENED IN ACCORDANCE TO RULES AND REGULATIONS ON THE REVERSE SIDE OF THIS SHEET.
RESPECTFULLY,

QUANTITY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL
		TYTON JOINT		
1200	FT	12" ~~XXXXXXXXX~~, DUCTILE IRON PIPE, CEMENT LINED, W/GASKETS AND BRASS WEDGES.	$10.50	$12,600.00
		MUST MEET WATER UTILITY MATERIAL SPECIFICATIONS. SEE ATTACHED.		
		FOR FURTHER INFORMATION CONTACT SKIP MILLER 219/747-4146.		
		IF YOU DO NOT WISH TO QUOTE ON THE ABOVE, PLEASE LIST NO QUOTE ON OUR FORM AND RETURN IN THE ENCLOSED SELF ADDRESSED ENVELOPE FOR OUR RECORDS. THANK YOU.		

REC'D JUL 19 1985

THIS IS ONLY AN INVITATION TO QUOTE AND NOT AN ORDER. THE ABOVE QUOTES ARE SUBMITTED IN ACCORDANCE WITH THE REGULATIONS ON THE REVERSE SIDE OF THIS SHEET.

SIGNATURE OF BIDDER: Maureen A. Heniff DATE: July 23, 1985

Maureen A. Heniff, Senior Sales Correspondent

VENDOR 3

DIGEST SHEET

TITLE OF ORDINANCE: SPECIAL

1-85-08-22

DEPARTMENT REQUESTING ORDINANCE: PURCHASING

SYNOPSIS OF ORDINANCE:

An ordinance approving an awarding of a bid with respect to the purchase of 1200 feet Belltite Iron Pipe for the Water Maintenance and Service Department as per the specifications in Reference #2083.

EFFECT OF PASSAGE:

Installation of new water main on Stellhorn Road from 200 feet East of Maplecrest Road to 200 feet West of Maple Terrace Parkway to increase water service to area.

EFFECT OF NON-PASSAGE:

Continue to provide, at times, inadequate service to these residents.

MONEY INVOLVED (Direct costs, Expenditures, Savings):

Water Products - $12,312.00

ASSIGNED TO COMMITTE (President):

BILL NO. S-85-08-22

REPORT OF THE COMMITTEE ON CITY UTILITIES

WE, YOUR COMMITTEE ON CITY UTILITIES TO WHOM WAS REFERRED AN (ORDINANCE) (~~RESOLUTION~~) approving City Utilities Purchase Order Number A-44942 by the City of Fort Wayne by and through its Department of Purchasing and Water Products for the Water Maintenance and Service Department

HAVE HAD SAID (ORDINANCE) (~~RESOLUTION~~) UNDER CONSIDERATION AND BEG LEAVE TO REPORT BACK TO THE COMMON COUNCIL THAT SAID (ORDINANCE) (~~RESOLUTION~~)

YES		NO
	THOMAS C. HENRY CHAIRMAN	
	JANET G. BRADBURY VICE CHAIRWOMAN	
	DONALD J. SCHMIDT	
	JAMES S. STIER	
	CHARLES B. REDD	

CONCURRED IN 8-27-85

SANDRA E. KENNEDY
CITY CLERK